




1. MATERIAL:  
 COVER: COPPER ALLOY  
 LIGHT PIPE: POLYCARBONATE (94-V0 RATED)
2. THIS LIGHT PIPE ASSEMBLY IS TO BE USED WITH THE SFP+ 1X6 CAGE ASSEMBLY P/N 7475406\*\*
3. IT IS RECOMMENDED THAT THE CAGE BE PRESSED INTO OR SOLDERED TO THE PCB PRIOR TO ASSEMBLING THE LIGHT PIPE ASSEMBLY.
4. THIS PART MEETS THE RESTRICTION OF HAZARDOUS SUBSTANCES IN ELECTRICAL AND ELECTRONIC EQUIPMENT (RoHS) DIRECTIVE (2002/95/EC)

<b>ENTER DESCRIPTION</b> IEC NO: USY2009-0143 DRAWN BY: CHYKARINKE 2008/10/22 CHECKED BY: APPR:K.JANOTA 2008/10/22 DESCRIPTION:	<b>QUALITY SYMBOLS</b> ▽=0 ▽=0		<b>GENERAL TOLERANCES (UNLESS SPECIFIED)</b>		<b>DIMENSION STYLE</b> MM ONLY		SCALE 3:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION
	4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.15 ± --- 1 PLACE ± 0.25 ± ---		mm    INCH		DRAWN BY: JREEVES    DATE: 2008/10/15 CHECKED BY: MA.JOHNSTON    DATE: 2008/10/17 APPROVED BY: K.JANOTA    DATE: 2008/10/20		TITLE <b>SFP+ 1X6 LIGHT PIPE ASSY, LOW PROFILE - THRU BEZEL</b>		
	ANGULAR ± 1°		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO: <b>747540061</b>		MOLEX INCORPORATED DOCUMENT NO: <b>SD-74754-0061</b>		
	SIZE <b>D</b>		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		SHEET NO. 1 OF 3				







- HOST PCB LAYOUT NOTES (SCALE 10:1)
- LED SHOULD BE PLACED RELATIVE TO THE SFP CONNECTOR POST HOLES
  - LAYOUT APPLIES TO EACH PORT

<b>ENTER DESCRIPTION</b> IEC NO.: USY2009-0143 DRAWN BY: CHYDARIWE 2008/10/22 CHECKED BY: APPR:K.JANOTA 2008/10/22 REV: A	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION																		
	$\nabla=0$ $\nabla=0$	<table border="1"> <tr> <th></th> <th>mm</th> <th>INCH</th> </tr> <tr> <td>4 PLACES</td> <td>±---</td> <td>±---</td> </tr> <tr> <td>3 PLACES</td> <td>±---</td> <td>±---</td> </tr> <tr> <td>2 PLACES</td> <td>±0.15</td> <td>±---</td> </tr> <tr> <td>1 PLACE</td> <td>±0.25</td> <td>±---</td> </tr> <tr> <td colspan="3">ANGULAR ± 1°</td> </tr> </table>		mm	INCH	4 PLACES	±---	±---	3 PLACES	±---	±---	2 PLACES	±0.15	±---	1 PLACE	±0.25	±---	ANGULAR ± 1°			MM ONLY	3:1	METRIC	
		mm	INCH																					
	4 PLACES	±---	±---																					
3 PLACES	±---	±---																						
2 PLACES	±0.15	±---																						
1 PLACE	±0.25	±---																						
ANGULAR ± 1°																								
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	DRAWN BY: JREEVES 2008/10/15 CHECKED BY: MA.JOHNSTON 2008/10/17 APPROVED BY: K.JANOTA 2008/10/20	DATE DATE DATE	TITLE <b>SFP+ 1X6 LIGHT PIPE ASSY, LOW PROFILE - THRU BEZEL</b>	MATERIAL NO. <b>747540061</b>	DOCUMENT NO. <b>SD-74754-0061</b>	SHEET NO. <b>2 OF 3</b>																		
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			<b>MOLEX INCORPORATED</b>																					

20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

DATE	REV	DESCRIPTION
2008/10/21	A	INITIAL RELEASE

<b>ENTER DESCRIPTION</b> IEC NO. USY2009-0143 DRAWN BY CHYDARIKKE 2008/10/22 CHECKED BY APPR:K.JANOTA 2008/10/22 REV DESCRIPTION	<b>QUALITY SYMBOLS</b>  = 0  = 0	<b>GENERAL TOLERANCES (UNLESS SPECIFIED)</b> <table border="1"> <thead> <tr> <th></th> <th>mm</th> <th>INCH</th> </tr> </thead> <tbody> <tr> <td>4 PLACES</td> <td>± .005</td> <td>± .0005</td> </tr> <tr> <td>3 PLACES</td> <td>± .002</td> <td>± .0002</td> </tr> <tr> <td>2 PLACES</td> <td>± 0.15</td> <td>± .005</td> </tr> <tr> <td>1 PLACE</td> <td>± 0.25</td> <td>± .010</td> </tr> </tbody> </table> ANGULAR ± 1°		mm	INCH	4 PLACES	± .005	± .0005	3 PLACES	± .002	± .0002	2 PLACES	± 0.15	± .005	1 PLACE	± 0.25	± .010	<b>DIMENSION STYLE</b> <b>MM ONLY</b>	<b>SCALE</b> <b>1:1</b>	<b>DESIGN UNITS</b> <b>METRIC</b>	<b>THIRD ANGLE PROJECTION</b> 
		mm	INCH																		
	4 PLACES	± .005	± .0005																		
	3 PLACES	± .002	± .0002																		
2 PLACES	± 0.15	± .005																			
1 PLACE	± 0.25	± .010																			
<b>DRAWN BY</b> JREEVES <b>CHECKED BY</b> MA JOHNSTON <b>APPROVED BY</b> K. JANOTA	<b>DATE</b> 2008/10/15 <b>DATE</b> 2008/10/17 <b>DATE</b> 2008/10/20	<b>TITLE</b> <b>SFP+ 1X6 LIGHT PIPE ASSY, LOW PROFILE - THRU BEZEL</b>	<b>MATERIAL NO.</b> <b>747540061</b>	<b>DOCUMENT NO.</b> <b>SD-74754-0061</b>	<b>SHEET NO.</b> <b>3 OF 3</b>																
<b>DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</b>						<b>MOLEX INCORPORATED</b> 															
<b>THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</b>																					

19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1