

## Specification Sheet

Part Number: 151-00785



Connector Clip, Hole Dia. 6.2X12.2mm, PA66HIRHS, Black, 5000/box

**Article Number**

151-00785

**Type**

CCFT6LG

**Color**

Black (BK)

**Features & Benefits**

- Head design contains clamping rails to provide full circumferential compression around bundles.
- Bent tail allows for quick insertion into head.

**Quantity Per**

bag

**Product Description**

Connector Clips feature various attachment point configurations to accommodate the many connectors on the market. They are first mated with a connector on a wire harness or cable assembly, then secured to a surface using the integrated mount. With so many configurations available, attachment surfaces can be a hole, edge, stud or even another harness assembly.

**Short Description**

Connector Clip, Hole Dia. 6.2X12.2mm, PA66HIRHS, Black, 5000/box

**Global Part Name**

CCFT6LG-PA66HIRHS-BK

**Technical Description**

Connector Clip, Black

**Fixation Method**

Fir Tree

**Panel Thickness Min(Imperial)**

0.028

**Panel Thickness Max(Imperial)**

0.16

**Panel Thickness Min (Metric)**

0.7

**Panel Thickness Max (Metric)**

4.0

**Mounting Hole Diameter D (Imperial)**

0.24 - 0.26

**Mounting Hole Diameter D (Metric)**

6.0 - 6.7 mm

**Mounting Hole Diameter D Min (Imperial)**

0.24

**Mounting Hole Diameter D Max (Imperial)**

0.26

**Mounting Hole Diameter D Max (Metric)**

6.7

**Material**

Polyamide 6.6, high impact modified, heat stabilized (PA66HIRHS)

**Material Shortcut**

PA66HIRHS

**Flammability**

UL 94 HB

**Operating Temperature (Metric)** -40°F to +221°F (-40°C to +105°C)

**Reach Complaint(Article 33)** Yes

**ROHS Complaint** Yes

**Package Quantity(Imperial)** 5000

**Package Quantity (Metric)** 5000

**Customs Number** 3926909987

**Content Unit(BMEcat)** pcs.

**Weight (Metric)** 0.8